Applicants:

Title:

Filed:

Lawrence A. Denny and Edward E. Patterson **OILFIELD EQUIPMENT IDENTIFICATION** 

**METHOD AND APPARATUS** 

Serial No.:

10/634,061

10/26/2004

1950.022 Atty. Dkt. No.:

**REMARKS** 

The Office Action dated October 26, 2004 has been reviewed. In view of the

foregoing amendments to the application, and the following arguments, it is

respectfully submitted that the application is now in condition for allowance.

**Election-Restriction** 

Applicants hereby affirms the election made without traverse by Applicants'

attorney on September 27, 2004.

Claim Rejections - 35 U.S.C § 102

In the Office Action, claims 1-2 were rejected under 35 U.S.C. 102(b) as being

anticipated by Perkin et al. For the following reasons, it is Applicants' belief that

claims 1-2 are patentable in view of Perkin et al.

Lawrence A. Denny ("Larry"), one of the inventors of the above-referenced

patent application is also a co-inventor of the patent to Perkin et al. Larry has been

working in this field for years and has developed various enhancements to the

system set forth in Perkin et al., which contribute substantially to the success of the

system. It is to these developments that the present patent application is directed.

Applicants:

Lawrence A. Denny and Edward E. Patterson OILFIELD EQUIPMENT IDENTIFICATION

**METHOD AND APPARATUS** 

Serial No.:

10/634,061

Filed:

Title:

10/26/2004

Atty. Dkt. No.:

1950.022

As background, the cost of oil field equipment is relatively high. Accordingly, it is desirable to optimally use and/or reuse many pieces of oilfield equipment for subsequent drilling and development operations. However, equipment undergoes considerable stress during drilling and completion operations. For example, pieces of oilfield equipment, such as drill pipe, may suffer from material fatigue which may ultimately result in failure of the drill pipe. The failure of downhole equipment will require a suspension of drilling operations to recover the remainder of the drill string and other related equipment. It will be appreciated that the recovery of a drill string can be an expensive and time-consuming operation, which should be avoided if possible.

The invention in Perkin et al. maintains usage histories of various oilfield equipment by affixing a portable encapsulated passive circuit capable of transmitting an identification code to a piece of oilfield equipment. The passive circuit is activated by a portable hand held reader which receives and decodes the identification code and transmits it to a central computer. The central computer verifies the reader and the existence of the equipment in a database and retrieves the usage history for the equipment. Based on the usage history, the prospective application and guidelines for usage of equipment, the computer determines the

Applicants:

Lawrence A. Denny and Edward E. Patterson **OILFIELD EQUIPMENT IDENTIFICATION** 

**METHOD AND APPARATUS** 

Serial No.:

10/634,061

Filed:

Title:

10/26/2004

Atty. Dkt. No.: 1950.022

advisability of using the equipment in the prospective application and transmits the recommendation back to the portable hand held reader. Perkin et al. did not specifically address the maintaining of cumulative rotating and non-rotating usage of each piece of oilfield equipment in a drill string, as specified in Applicants' independent claim 1 - although Applicants were selling a database system more than one year prior to the priority date of this application that permitted manual entry

of rotating and non-rotating usage as discussed in a response in a parent case.

Applicant's attorney has reviewed the citations provided by the Examiner and does not understand the rejection of claims 1 and 2. Perkin et al. does not disclose a "drill monitoring device" or a "means for outputting" as those terms are understood by Applicants' attorney in view of the written description. However, it appears from the response that the Examiner is interpreting the "drill monitoring device" of claim 1 and the "means for outputting" of claim 2 as either the keyboard or the reader described in Perkin et al. Is this correct?

In an effort to clarify the language of claims 1 and 2, such claims have been amended to specifically recite the following language: "monitoring a drilling device driving the drill string. Neither the keyboard nor the reader described in Perkin et al. monitor a drilling device driving the drill string. In view thereof, it is respectfully Applicants: Title:

Lawrence A. Denny and Edward E. Patterson **OILFIELD EQUIPMENT IDENTIFICATION** 

**METHOD AND APPARATUS** 

Serial No.:

10/634,061

Filed:

10/26/2004

Atty. Dkt. No.: 1950.022

submitted that Perkin et al. does not teach or even suggest the invention recited in

Applicants' claims 1 and 2. Therefore, reconsideration and withdrawal of the

rejection of claims 1 and 2 is respectfully requested.

**SUMMARY** 

The foregoing is intended to be a complete response to the Office Action

mailed October 26, 2004. If the Examiner has any questions or comments regarding

the foregoing, Applicants' attorney would welcome a telephonic interview with the

Examiner.

Respectfully submitted,

Marc A. Brockhaus, Reg. No. 40,923

DUNLAP, CODDING & ROGERS, P.C.

P.O. Box 16370

Oklahoma City, Oklahoma 73113

Attorney for Applicants